Indiana State Department of Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | | (X2) MULTIPLE CONSTRUCTION | | | (X3) DATE SURVEY COMPLETED | |
|---|---|---|--|----------------------------|---|-----|-------------------------------|--|
| | | | | A. BUILDING B. WING | | | С | |
| | | 155635 | | | | 06/ | 02/2011 | |
| NAME OF PROVIDER OR SUPPLIER | | | STREET ADD | RESS, CITY, STA | TE, ZIP CODE | | | |
| GRACE VILLAGE HEALTH CARE FACILITY | | | 337 GRACE VILLAGE DRIVE WINONA LAKE, IN 46590 | | | | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATI | | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | | (X5) COMPLETE DATE | |
| R 000 | 000 INITIAL COMMENTS | | | R 000 | | | | |
| | This visit was for the investigation of Complaint IN00091335. | | | | | | | |
| | Complaint IN00091335 unsubstantiated, due to lack of evidence. | | | | | | | |
| | Survey date: June 2, 2011 | | | | | | | |
| | Facility number: 000501 Provider number: 155635 Aim number: 100266260 | | | | | | | |
| | Survey team: Carol Miller RN | | | | | | | |
| | Census bed type: SNF: 11 SNF/NF: 65 Residential: 50 Total: 126 | | | | | | | |
| | Census payor type: Medicare: 8 Medicaid: 35 Other: 83 Total: 126 | | | | | | | |
| | Sample: 8 | | | | | | | |
| | be in compliance with | Care Facility was found 1 42 CFR Part 483 Subpregard to the investigati 35. | part B | | | | | |
| | Quality review compl Cathy Emswiller RN | eted 6-3-11 | | | | | | |
| | Department of Health | | | | | | | |

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE